The Journal of Cell Biology

Volume 136, 1997



Published semimonthly by
The Rockefeller University Press
Copyediting and Production
Linda Thrasybule, Lauren Gold,
and Justin Collins

Editor-in-Chief

Norton B. Gilula

Associate Editors

Don W. Cleveland
Werner Franke
Elaine Fuchs
Randy Schekman
Kenneth M. Yamada

Editorial Board

Richard G.W. Anderson
Vann Bennett
Paul Bornstein
Marianne Bronner-Fraser
Eric J. Brown
Lewis Cantley
John S. Condeelis
John Cooper
Caroline Damsky
Elisabetta Dejana
David J. DeRosier
David Drubin
Scott Emr
Larry Gerace
Hans Geuze
Larry Goldstein
Barry Gumbiner
Alan Hall
Ulrich Hartl
Alan F. Horwitz
Keith Joiner
Hynda Kleinman
Stanley J. Korsmeyer
Arthur D. Lander
Jeanne Lawrence
Susan Lindquist
Joan Massague
Jacopo Meldolesi
Ira Mellman
Timothy J. Mitchison
Randall T. Moon
Andrew Murray
W. James Nelson
Eric N. Olsen
Suzanne Pfeffer
Mu-ming Poo
Natasha V. Raikhel
Tom A. Rapoport
Louis F. Reichardt
Daniel B. Rifkin
Mark Rose
Joshua Sanes
Richard Scheller
Sandra Schmid
Trina Schroer
Jean Schwarzbauer
Victor Small
Paul W. Sternberg
Murray Stewart
Graham Warren

Copyright © 1997 by The Rockefeller University Press

Contents:

Volume 136, Number 1, January 13, 1997

Mini-Review

1 **Anchorage-dependent cell cycle progression.**
R.K. Assoian

Regular Articles

5 **A functional interaction between the carboxy-terminal domain of RNA polymerase II and pre-mRNA splicing.**
L. Du and S.L. Warren

19 **Splicing factors associate with hyperphosphorylated RNA polymerase II in the absence of pre-mRNA.**
E. Kim, L. Du, D.B. Bregman, and S.L. Warren

29 **Chromosomes with two intact axial cores are induced by G_2 checkpoint override: Evidence that DNA decatenation is not required to template the chromosome structure.**
P.R. Andreassen, F.B. Lacroix, and R.L. Margolis

45 **Transfer of free polymannose-type oligosaccharides from the cytosol to lysosomes in cultured human hepatocellular carcinoma HEPG2 cells.**
A. Saint-Pol, C. Bauvy, P. Codogno, and S.E.H. Moore

61 **The autophagic and endocytic pathways converge at the nascent autophagic vacuoles.**
W. Liou, H.J. Geuze, M.J.H. Geelen, and J.W. Slot

71 **Visualization of the peroxisomal compartment in living mammalian cells: Dynamic behavior and association with microtubules.**
E.A.C. Wiemer, T. Wenzel, T.J. Deerinck, M.H. Ellisman, and S. Subramani

81 **An early stage of membrane fusion mediated by the low pH conformation of influenza hemagglutinin depends upon membrane lipids.**
L.V. Chernomordik, E. Leikina, V. Frolov, P. Bronk, and J. Zimmerberg

95 **Targeting of chitin synthase 3 to polarized growth sites in yeast requires Chs5p and Myo2p.**
B. Santos and M. Snyder

111 **A role for the actin cytoskeleton of *Saccharomyces cerevisiae* in bipolar bud-site selection.**
S. Yang, K.R. Ayscough, and D.G. Drubin

125 **Cell cycle regulation of the replication licensing system: Involvement of a Cdk-dependent inhibitor.**
H.M. Mahbubani, J.P.J. Chong, S. Chevalier, P. Thömmes, and J.J. Blow

137 **Caveolin-3 associates with developing T-tubules during muscle differentiation.**
R.G. Parton, M. Way, N. Zorzi, and E. Stang

155 **Newt myotubes reenter the cell cycle by phosphorylation of the retinoblastoma protein.**
E.M. Tanaka, A.A.F. Gann, P.B. Gates, and J.P. Brockes

167 **Regulation of flagellar dynein by phosphorylation of a 138-kD inner arm dynein intermediate chain.**
G. Habermacher and W.S. Sale

177 **Phosphoregulation of an inner dynein arm complex in *Chlamydomonas reinhardtii* is altered in phototactic mutant strains.**
S.J. King and S.K. Dutcher

193 **Extracellular fibrillar structure of latent TGFβ binding protein-1: Role in TGFβ-dependent endothelial-mesenchymal transformation during endocardial cushion tissue formation in mouse embryonic heart.**
Y. Nakajima, K. Miyazono, M. Kato, M. Takase, T. Yamagishi, and H. Nakamura

205 **Bcl-2 lies downstream of parathyroid hormone in a signaling pathway that regulates chondrocyte maturation during skeletal development.**
M. Amling, L. Neff, S. Tanaka, D. Inoue, K. Kuida, E. Wier, W.M. Philbrick, A.E. Broadus, and R. Baron

215 **Inhibition of Ced-3/ICE-related proteases does not prevent cell death induced by oncogenes, DNA damage, or the Bcl-2 homologue Bak.**
N.J. McCarthy, M.K.B. Whyte, C.S. Gilbert, and G.I. Evan

Volume 136, Number 2, January 27, 1997

229 **Chromosome fragments possessing only one kinetochore can congress to the spindle equator.**
A. Khodjakov, R.W. Cole, B.F. McEwen, K.F. Buttle, and C.L. Rieder

241 **The vertebrate GLFG nucleoporin, Nup98, is an essential component of multiple RNA export pathways.**
M.A. Powers, D.J. Forbes, J.E. Dahlberg, and E. Lund

251 **Biogenesis of the *Saccharomyces cerevisiae* mating pheromone a-factor.**
P. Chen, S.K. Sapperstein, J.D. Choi, and S. Michaelis

271 **A novel membrane-associated metalloprotease, Ste24p, is required for the first step of NH_2-terminal processing of the yeast a-factor precursor.**
K. Fujimura-Kamada, F.J. Nouvet, and S. Michaelis

287 **Two separate signals act independently to localize a yeast late Golgi membrane protein through a combination of retrieval and retention.**
N.J. Bryant and T.H. Stevens

299 **A heterodimer of thioredoxin and I^B_2 cooperates with Sec18p (NSF) to promote yeast vacuole inheritance.**
Z. Xu, A. Mayer, E. Muller, and W. Wickner

307 **Docking of yeast vacuoles is catalyzed by the Ras-like GTPase Ypt7p after symmetric priming by Sec18p (NSF)**
A. Mayer and W. Wickner

319 **Targeting of an intestinal apical endosomal protein to endosomes in nonpolarized cells.**
J.M. Wilson and T.L. Colton

331 **Structure, subunit topology, and actin-binding activity of the Arp2/3 complex from *Acanthamoeba.***
R.D. Mullins, W.F. Stafford, and T.D. Pollard

345 **Identification of a mid-anaphase checkpoint in budding yeast.**
S.S. Yang, E. Yeh, E.D. Salmon, and K. Bloom

355 **Dynamic properties of an inositol 1,4,5-trisphosphate– and thapsigargin-insensitive calcium pool in mammalian cell lines.**
P. Pizzo, C. Fasolato, and T. Pozzan

367 **Transplantation of quail collagen-tailed acetylcholinesterase molecules onto the frog neuromuscular synapse.**
R.L. Rotundo, S.G. Rossi, and L. Anglister

375 **NGF and neurotrophin-3 both activate TrkA on sympathetic neurons but differentially regulate survival and neuritogenesis.**
D.J. Belliveau, I. Krivko, J. Kohn, C. Lachance, C. Pozniak, D. Rusakov, D. Kaplan, and F.D. Miller

389 **Two peptides derived from the nerve growth factor precursor are biologically active.**
E. Dicou, B. Pflug, M. Magazin, T. Lehy, D. Djakiew, P. Ferrara, V. Nerrière, and D. Harvie

399 **A synthetic peptide corresponding to the extracellular domain of occludin perturbs the tight junction permeability barrier.**
V. Wong and B.M. Gumbiner

411 **Adenomatous polyposis coli tumor suppressor protein has signaling activity in *Xenopus laevis* embryos resulting in the induction of an ectopic dorsoanterior axis.**
K. Vleminckx, E. Wong, K. Guger, B. Rubinfeld, P. Polakis, and B.M. Gumbiner

421 **Differential regulation and function of CD73, a glycosyl-phosphatidylinositol–linked 70-kD adhesion molecule, on lymphocytes and endothelial cells.**
L. Airas, J. Niemelä, M. Salmi, T. Puurunen, D.J. Smith, and S. Jalkanen

433 **cDNA cloning of the basement membrane chondroitin sulfate proteoglycan core protein, bamacan: A five domain structure including coiled-coil motifs.**
R.-R. Wu and J.R. Couchman

445 **Retinoic acid receptor α function in vertebrate limb skeletogenesis: A modulator of chondrogenesis.**
D.E. Cash, C.B. Bock, K. Schughart, E. Linney, and T.M. Underhill

459 **Abnormal compartmentalization of cartilage matrix components in mice lacking collagen X: Implications for function.**
K.M. Kwan, M.K.M. Pang, S. Zhou, S.K. Cowan, R.Y.C. Kong, T. Pfordte, B.R. Olsen, D.O. Sillence, P.P.L. Tam, and K.S.E. Cheah

473 **A three-dimensional collagen lattice induces protein kinase C-ζ activity: Role in α_2 integrin and collagenase mRNA expression.**
J. Xu and R.A.F. Clark

485 ADDITIONS AND CORRECTIONS

Volume 136, Number 3, February 10, 1997

487 **A centromere DNA-binding protein from fission yeast affects chromosome segregation and has homology to human CENP-B.**

D. Halverson, M. Baum, J. Stryker, J. Carbon, and L. Clarke

501 **Assembly of CENP-A into centromeric chromatin requires a cooperative array of nucleosomal DNA contact sites.**

R.D. Shelby, O. Vafa, and K.F. Sullivan

515 **Identification of protein p270/Tpr as a constitutive component of the nuclear pore complex–attached intranuclear filaments.**

V.C. Cordes, S. Reidenbach, H.-R. Rackwitz, and W.W. Franke

531 **Interphase nuclei of many mammalian cell types contain deep, dynamic, tubular membrane-bound invaginations of the nuclear envelope.**

M. Fricker, M. Hollinshead, N. White, and D. Vaux

545 **Mdm12p, a component required for mitochondrial inheritance that is conserved between budding and fission yeast.**

K.H. Berger, L.F. Sogo, and M.P. Yaffe

555 **Interactions between newly synthesized glycoproteins, calnexin and a network of resident chaperones in the endoplasmic reticulum.**

U. Tatu and A. Helenius

567 **A multistep, ATP-dependent pathway for assembly of human immunodeficiency virus capsids in a cell-free system.**

J.R. Lingappa, R.L. Hill, M.L. Wong, and R.S. Hegde

583 **An α-helical signal in the cytosolic domain of the interleukin 2 receptor β chain mediates sorting towards degradation after endocytosis.**

A. Subtil, M. Delepierre, and A. Dautry-Varsat

597 **Microdomain Ca^{2+} activation during exocytosis in *Paramecium* cells. Superposition of local subplasmalemmal calcium store activation by local Ca^{2+} influx.**

C. Erxleben, N. Klauke, M. Flötenmeyer, M.-P. Blanchard, C. Braun, and H. Plattner

609 **A cytosolic serine endopeptidase from *Trypanosoma cruzi* is required for the generation of Ca^{2+} signaling in mammalian cells.**

B.A. Burleigh, E.V. Caler, P. Webster, and N.W. Andrews

621 **Small, membrane-bound, alternatively spliced forms of ankyrin 1 associated with the sarcoplasmic reticulum of mammalian skeletal muscle.**

D. Zhou, C.S. Birkenmeier, M.W. Williams, J.J. Sharp, J.E. Barker, and R.J. Bloch

633 **Myosin I overexpression impairs cell migration.**

K.D. Novak and M.A. Titus

649 **Bee1, a yeast protein with homology to Wiskott-Aldrich syndrome protein, is critical for the assembly of cortical actin cytoskeleton.**

R. Li

659 **Inhibition of a mitotic motor compromises the formation of dendrite-like processes from neuroblastoma cells.**

W. Yu, D.J. Sharp, R. Kuriyama, P. Mallik, and P.W. Baas

669 **GKAP, a novel synaptic protein that interacts with the guanylate kinase-like domain of the PSD-95/SAP90 family of channel clustering molecules.**

E. Kim, S. Naisbitt, Y.-P. Hsueh, A. Rao, A. Rothschild, A.M. Craig, and M. Sheng

679 **Intrinsic neuronal determinants locally regulate extrasynaptic and synaptic growth at the adult neuromuscular junction.**

P. Caroni, L. Aigner, and C. Schneider

693 **NH_2-terminal deletion of β-catenin results in stable colocalization of mutant β-catenin with adenomatous polyposis coli protein and altered MDCK cell adhesion.**

A.I.M. Barth, A.L. Pollack, Y. Altschuler, K.E. Mostov, and W.J. Nelson

707 **L-Selectin from human, but not from mouse neutrophils binds directly to E-selectin.**

O. Zöllner, M.C. Lenter, J.E. Blanks, E. Borges, M. Steegmaier, H.-G. Zerwes, and D. Vestweber

717 **Threshold levels of fluid shear promote leukocyte adhesion through selectins (CD62L,P,E).**

M.B. Lawrence, G.S. Kansas, E.J. Kunkel, and K. Ley

729 **Targeted disruption of decorin leads to abnormal collagen fibril morphology and skin fragility.**

K.G. Danielson, H. Baribault, D.F. Holmes, H. Graham, K.E. Kadler, and R.V. Iozzo

745 **ADDITIONS AND CORRECTIONS**

Volume 136, Number 4, February 24, 1997

747 **Dynamics of nuclear pore distribution in nucleoporin mutant yeast cells.**
N. Belgareh and V. Doye

761 **A mouse cytoplasmic exoribonuclease (mXRN1p) with preference for G4 tetraplex substrates.**
V.I. Bashkirov, H. Scherthan, J.A. Solinger, J.-M. Buerstedde, and W.-D. Heyer

775 **Cell cycle–coupled relocation of types I and II topoisomerases and modification of catalytic enzyme activities.**
K.N. Meyer, E. Kjeldsen, T. Straub, B.R. Knudsen, I.D. Hickson, A. Kikuchi, H. Kreipe, and F. Boege

789 **COPI-independent anterograde transport: Cargo-selective ER to Golgi protein transport in yeast COPI mutants.**
E.C. Gaynor and S.D. Emr

803 **Identification of novel vesicles in the cytosol to vacuole protein degradation pathway.**
P.-H. Huang and H.-L. Chiang

811 **Association and colocalization of Eps15 with adaptor protein-2 and clathrin.**
S. van Delft, C. Schumacher, W. Hage, A.J. Verkleij, and P.M.P. van Bergen en Henegouwen

823 **Targeting determinants and proposed evolutionary basis for the Sec and the Delta pH protein transport systems in chloroplast thylakoid membranes.**
R. Henry, M. Carrigan, M. McCaffery, X. Ma, and K. Cline

833 **Mitochondrial participation in the intracellular Ca^{2+} network.**
D.F. Babcock, J. Herrington, P.C. Goodwin, Y.B. Park, and B. Hille

845 **Microtubule-associated protein 2c reorganizes both microtubules and microfilaments into distinct cytological structures in an actin-binding protein-280–deficient melanoma cell line.**
C.C. Cunningham, N. Leclerc, L.A. Flanagan, M. Lu, P.A. Janmey, and K.S. Kosik

859 **XCTK2: A kinesin-related protein that promotes mitotic spindle assembly in *Xenopus laevis* egg extracts.**
C.E. Walczak, S. Verma, and T.J. Mitchison

871 **Subtle neuromuscular defects in utrophin-deficient mice.**
R.M. Grady, J.P. Merlie, and J.R. Sanes

883 **Postsynaptic abnormalities at the neuromuscular junctions of utrophin-deficient mice.**
A.E. Deconinck, A.C. Potter, J.M. Tinsley, S.J. Wood, R. Vater, C. Young, L. Metzinger, A. Vincent, C.R. Slater, and K.E. Davies

895 **Chicken acidic leucine-rich EGF-like domain containing brain protein (CALEB), a neural member of the EGF family of differentiation factors, is implicated in neurite formation.**
S. Schumacher, H. Volkmer, F. Buck, A. Otto, A. Tárnok, S. Roth, and F.G. Rathjen

907 **Induction of neurite outgrowth through contactin and Nr-CAM by extracellular regions of glial receptor tyrosine phosphatase β.**
T. Sakurai, M. Lustig, M. Nativ, J.J. Hemperly, J. Schlessinger, E. Peles, and M. Grumet

919 **Cross-talk between adherens junctions and desmosomes depends on plakoglobin.**
J.E. Lewis, J.K. Wahl III, K.M. Sass, P.J. Jensen, K.R. Johnson, and M.J. Wheelock

935 **Growth-inhibitory activity and downregulation of the class II tumor-suppressor gene *H-rev107* in tumor cell lines and experimental tumors.**
C. Sers, U. Emmenegger, K. Husmann, K. Bucher, A.-C. Andres, and R. Schäfer

945 **Monocyte adhesion to activated aortic endothelium: Role of L-selectin and heparan sulfate proteoglycans.**
L. Giuffrè, A.-S. Cordey, N. Monai, Y. Tardy, M. Schapira, and O. Spertini

---

Volume 136, Number 5, March 10, 1997

957 **The yeast Red1 protein localizes to the cores of meiotic chromosomes.**
A.V. Smith and G.S. Roeder

969 **The yeast *CDC37* gene interacts with *MPS1* and is required for proper execution of spindle pole body duplication.**
A.R. Schutz, T.H. Giddings, Jr., E. Steiner, and M. Winey

983 **Identification of protein transport complexes in the chloroplastic envelope membranes via chemical cross-linking.**
M. Akita, E. Nielsen, and K. Keegstra

995 **Inner but not outer membrane leaflets control the transition from glycosylphosphatidylinositol-anchored influenza hemagglutinin-induced hemifusion to full fusion.**
G.B. Melikyan, S.A. Brener, D.C. Ok, and F.S. Cohen

1007 **Microtubule-mediated transport of incoming herpes simplex virus 1 capsids to the nucleus.**
B. Sodeik, M.W. Ebersold, and A. Helenius

1023 **Rapid plasma membrane anchoring of newly synthesized p59^{fyn}: Selective requirement for NH_2-terminal myristoylation and palmitoylation at cysteine-3.**
W. van 't Hof and M.D. Resh

1037 **Topology of the *Shaker* potassium channel probed with hydrophilic epitope insertions.**
T.M. Shih and A.L. Goldin

1047 **Laminin-induced clustering of dystroglycan on embryonic muscle cells: Comparison with agrin-induced clustering.**
M.W. Cohen, C. Jacobson, P.D. Yurchenco, G.E. Morris, and S. Carbonetto

1059 **Isoforms of ankyrin-3 that lack the NH_2-terminal repeats associate with mouse macrophage lysosomes.**
T.C. Hoock, L.L. Peters, and S.E. Lux

1071 **Pleckstrin associates with plasma membranes and induces the formation of membrane projections: Requirements for phosphorylation and the NH_2-terminal PH domain.**
A.D. Ma, L.F. Brass, and C.S. Abrams

1081 **Mitochondrial association of a plus end–directed microtubule motor expressed during mitosis in *Drosophila.***
A.J. Pereira, B. Dalby, R.J. Stewart, S.J. Doxsey, and L.S.B. Goldstein

1091 **MAP kinase is required for the spindle assembly checkpoint but is dispensable for the normal M phase entry and exit in *Xenopus* egg cell cycle extracts.**
K. Takenaka, Y. Gotoh, and E. Nishida

1099 **Gamete interactions in *Xenopus laevis*: Identification of sperm binding glycoproteins in the egg vitelline envelope.**
J. Tian, H. Gong, G.H. Thomsen, and W.J. Lennarz

1109 **LI-cadherin–mediated cell–cell adhesion does not require cytoplasmic interactions.**
B. Kreft, D. Berndorff, A. Böttinger, S. Finnemann, D. Wedlich, M. Hortsch, R. Tauber, and R. Geßner

1123 **Establishment of the dorso-ventral axis in *Xenopus* embryos is presaged by early asymmetries in β-catenin that are modulated by the Wnt signaling pathway.**
C.A. Larabell, M. Torres, B.A. Rowning, C. Yost, J.R. Miller, M. Wu, D. Kimelman, and R.T. Moon

1137 **Neuroprotective action of cycloheximide involves induction of Bcl-2 and antioxidant pathways.**
K. Furukawa, S. Estus, W. Fu, R.J. Mark, and M.P. Mattson

1151 **Latent transforming growth factor-β binding protein domains involved in activation and transglutaminase-dependent cross-linking of latent transforming growth factor-β.**
I. Nunes, P.-E. Gleizes, C.N. Metz, and D.B Rifkin

Volume 136, Number 6, March 21, 1997

Mini-review

1165 **Accelerating on a treadmill: ADF/Cofilin promotes rapid actin filament turnover in the dynamic cytoskeleton.**
J.A. Theriot

Regular Articles

1169 **Chromosomal proteins and cytokinesis: Patterns of cleavage furrow formation and inner centromere protein positioning in mitotic heterokaryons and mid-anaphase cells.**
D.M. Eckley, A.M. Ainsztein, A.M. Mackay, I.G. Goldberg, and W.C. Earnshaw

1185 **In vivo dynamics of nuclear pore complexes in yeast.**
M. Bucci and S.R. Wente

1201 **Disruption of nuclear lamin organization alters the distribution of replication factors and inhibits DNA synthesis.**
T.P. Spann, R.D. Moir, A.E. Goldman, R. Stick, and R.D. Goldman

1213 **Identification of a novel stage of ribosome/nascent cain association with the endoplasmic reticulum membrane.**
E.C. Murphy III, T. Zheng, and C.V. Nicchitta

1227 **Sequential actions of Rab5 and Rab7 regulate endocytosis in the *Xenopus* oocyte.**
A. Mukhopadhyay, A.M. Barbieri, K. Funato, R. Roberts, and P.D. Stahl

1239 **Molecular cloning and functional characterization of the receptor for *Clostridium perfringens* enterotoxin.**
J. Katahira, N. Inoue, Y. Horiguchi, M. Matsuda, and N. Sugimoto

1249 **Genetic analysis of myoblast fusion: *blown fuse* is required for progression beyond the prefusion complex.**
S.K. Doberstein, R.D. Fetter, A.Y. Mehta, and C.S. Goodman

1263 **β-Actin messenger RNA localization and protein synthesis augment cell motility.**
E.H. Kislauskis, X.-c. Zhu, and R.H. Singer

1271 **Inactivation of two *Dictyostelium discoideum* genes, *DdPIK1* and *DdPIK2*, encoding proteins related to mammalian phosphatidylinositide 3-kinases, results in defects in endocytosis, lysosome to postlysosome transport, and actin cytoskeleton organization.**
G. Buczynski, B. Grove, A. Nomura, M. Kleve, J. Bush, R.A. Firtel, and J. Cardelli

1287 **Identification of novel graded polarity actin filament bundles in locomoting heart fibroblasts: Implications for the generation of motile force.**
L.P. Cramer, M. Siebert, and T.J. Mitchison

1307 **Actin depolymerizing factor (ADF/cofilin) enhances the rate of filament turnover: Implication in actin-based motility.**
M.-F. Carlier, V. Laurent, J. Santolini, R. Melki, D. Didry, G.-X. Xia, Y. Hong, N.-H. Chua, and D. Pantaloni

1323 ***Xenopus* actin depolymerizing factor/cofilin (XAC) is responsible for the turnover of actin filaments in *Listeria monocytogenes* tails.**
J. Rosenblatt, B.J. Agnew, H. Abe, J.R. Bamburg, and T.J. Mitchison

1333 **The localization of bullous pemphigoid antigen 180 (BP180) in hemidesmosomes is mediated by its cytoplasmic domain and seems to be regulated by the β4 integrin subunit.**
L. Borradori, P.J. Koch, C.M. Niessen, S. Erkeland, M.R. van Leusden, and A. Sonnenberg

1349 **Progressive kidney degeneration in mice lacking tensin.**
S.H. Lo, Q.-C. Yu, L. Degenstein, L.B. Chen, and E. Fuchs

1363 **Matrix metalloproteinases MMP2 and MMP9 are produced in early stages of kidney morphogenesis but only MMP9 is required for renal organogenesis in vitro.**
B. Lelongt, G. Trugman, G. Murphy, and P.M. Ronco

1375 **Transferrin promotes endothelial cell migration and invasion: Implication in cartilage neovascularization.**
M.F. Carlevaro, A. Albini, D. Ribatti, C. Gentili, R. Benelli, S. Cermelli, R. Cancedda, and F. Descalzi Cancedda

1385 **Integrin-mediated activation of MAP kinase is independent of FAK: Evidence for dual integrin signaling pathways in fibroblasts.**
T.H. Lin, A.E. Aplin, Y. Shen, Q. Chen, M. Schaller, L. Romer, I. Aukhil, and R.L. Juliano

1397 **AUTHOR INDEX FOR VOLUME 136**

1405 **SUBJECT INDEX FOR VOLUME 136**